



AP CS: Object initialization - Constructors

Subset of the Supplement Lesson slides from: [Building Java Programs](#), Chapter 8.3
by Stuart Reges and Marty Stepp (<http://www.buildingjavaprograms.com/>) & thanks to Ms Martin.

Initializing objects

- Currently it takes 3 lines to create a `Point` and initialize it:

```
Point p = new Point();  
p.x = 3;  
p.y = 8; // tedious
```

- We'd rather specify the fields' initial values at the start:

```
Point p = new Point(3, 8); // better!
```

- We are able to do this with most types of objects in Java.

Constructors

- **constructor**: Initializes the state of new objects.

```
public type (parameters) {  
    statements;  
}
```

- runs when the client uses the `new` keyword
- no return type is specified;
it implicitly "returns" the new object being created
- If a class has no constructor, Java gives it a *default constructor* with no parameters that sets all fields to 0.

Constructor example

```
public class Point {
    int x;
    int y;

    // Constructs a Point at the given x/y location.
    public Point(int initialX, int initialY) {
        x = initialX;
        y = initialY;
    }


    public void translate(int dx, int dy) {
        x = x + dx;
        y = y + dy;
    }

    ...
}
```

Tracing a constructor call

- What happens when the following call is made?

```
Point p1 = new Point(7, 2);
```



x

y

```
public Point(int initialX, int initialY) {  
    x = initialX;  
    y = initialY;  
}  
  
public void translate(int dx, int dy) {  
    x += dx;  
    y += dy;  
}
```

Common constructor bugs

1. Re-declaring fields as local variables ("shadowing"):

```
public Point(int initialX, int initialY) {  
    int x = initialX;  
    int y = initialY;  
}
```

- This declares local variables with the same name as the fields, rather than storing values into the fields. The fields remain 0.

2. Accidentally giving the constructor a return type:

```
public void Point(int initialX, int initialY) {  
    x = initialX;  
    y = initialY;  
}
```

- This is actually not a constructor, but a method named `Point`

Client code, version 3

```
public class PointMain3 {
    public static void main(String[] args) {
        // create two Point objects
        Point p1 = new Point(5, 2);
        Point p2 = new Point(4, 3);

        // print each point
        System.out.println("p1: (" + p1.x + ", " + p1.y + ")");
        System.out.println("p2: (" + p2.x + ", " + p2.y + ")");

        // move p2 and then print it again
        p2.translate(2, 4);
        System.out.println("p2: (" + p2.x + ", " + p2.y + ")");
    }
}
```

OUTPUT:

```
p1: (5, 2)
p2: (4, 3)
p2: (6, 7)
```

Multiple constructors

- A class can have multiple constructors.
 - Each one must accept a unique set of parameters.
- *Exercise:* Write a `Point` constructor with no parameters that initializes the point to `(0, 0)`.

```
// Constructs a new point at (0, 0).
```

```
public Point() {  
    x = 0;  
    y = 0;  
}
```